

# VASANTRAO KALE

## HOMOEOPATHIC MEDICAL COLLEGE & HOSPITAL

P-12, M.I.D.C., BARSHI ROAD,  
LATUR. – 413 531 (MAHARASHTRA)  
Ph. : (02382) 221389, Fax : (02382) 222523  
e-mail: vkhmclatur@gmail.com  
kspmshmlatur@gmail.com  
Website: www.vkhmclatur.com

Ref. :HMC/

/ 2025 - 2026

Date : /

### A. TEACHING DEPARTMENTS


#### Department wise specific requirements

DEPARTMENT OF HUMAN ANATOMY (Annexure 13)			
Details of items of Equipment - NCH(MES) Regulations etc available as per Schedule Regulations,			
Space for teachers and supporting staff, demonstration room, laboratories, museum and departmental library-175 sq. mtr.			
1.	License as per Anatomy Act, 1949.-		
Sr. No	Items	Available in Number	
i.	Medical institutions shall have license issued under section 4 of the Anatomy Act, 1949 to procure or receive the unclaimed bodies or donated bodies of deceased persons for the purpose of anatomical examination and dissection.	Available 2	
ii.	Anatomy Act shall be displayed in anatomy lab of medical institution.	Yes – displayed	
iii.	Register and documents of cadaver including death certificate or register updated with entries of bodies duly attested by the principal or head of department shall be maintained by medical institution.	Available	
iv.	There shall be provision to discard waste part of dissection or in case of putrefaction of body or parts. Medical institutions shall get permission from local police or <i>sarpanch</i> for the disposal of dissected parts to burn out at nearby crematorium	Yes	
v.	Medical institutions shall keep provision for medical waste disposal or incinerator in laboratory	Yes	
2.	There shall be well ventilated dissection hall with wash basin and storage for cadaver in every medical institution.	Yes	
3.	Requirements in Museum:		
Department shall have models, specimens, bone set, articulated skeletons histology and embryology models or slide for demonstration.			
Sr. No	Items	Required	Available
3.1.	No. of models	20	37

3.2.	No. of charts or Digital display or standees or photopanel (Charts are to be prepared by the students and record are to be maintained in A4 Size sheet also.)	30	125
3.3.	Histology slides	50	100
3.4.	Soft part of all viscera- system wise	25	55
3.5.	Bones		600
	Complete bone set (03 male and 03 female )	06	6 Loose bones male & Female
	Articulated & dis-articulated skeletons	02	02
3.6.	Sample of X—ray films, MRI, CT scan, USG reports for applied anatomy	25	48
3.7.	Journal		
	Histology journal- details of all histology slides and organ slides	-	Yes
	Gross anatomy journal	-	Yes
4.	<b>List of equipment required for Anatomy Lab</b>		
<b>Sr. No</b>	<b>Items</b>	<b>Required</b>	<b>Available</b>
4.1.	Dissection tables with marble tops or stainless steel (6'x'1'x2'x3')	4	Yes 04
4.2.	Stretcher- steel top (6'x'2'x3')	1	01
4.3.	Dissection set complete	2	03
4.4.	Tray (steel)-for instruments or demonstration of specimen	2	02
4.5.	Saw for sectioning body and limbs	1	03
4.6.	Storage tanks to hold cadavers		
	Plastic or metal or concrete	02	02
	Containers (glass) for viscera and dissected parts-for demonstration	02	15
4.7.	Embalming materials		
	Cannula	02	02
	IV tubes	02	02
	Formalin holding tub	02	02
	Syringe needles	02	02
	Nylon thread	02	02
4.8.	Microscope (medical)	35	35
4.9.	Revolving stools –metal or wood	35	35
4.10.	X-ray viewing box	01	01
4.11.	Chemicals (embalming and soft part preservation)		
	Formalin	As Required	250 Lit.
	Glycerin		500 ml
	Sodium chloride		35 Kg

4.12.	Cadaver: (Cadaver and dissected body part shall be applicable after Letter of Intent given to the medical institution)	02	02
<b>5.</b>	<b>Details of Teaching Faculty</b>		
<b>Sr. No</b>	<b>Designation</b>	<b>Name of faculty</b>	
<b>Teaching Staff</b>			
	Professor	00	
	Associate Professor	Dr. Shaikh S.S.	
	Assistant Professor	Dr. Kadam P.R.	
		Dr. Aglawe D.S.	
<b>Non-teaching Staff</b>			
	Laboratory Attendant	Mrs. Surwase Sunita Narayan	
	Cadaver assistant	Mr. Dorle Hanmant Ankush	
	Multi-tasking staff	Mr. Hole Namdev Navnath	



  
**Principal**  
**Vasant Rao Kale Homoeopathic**  
**Medical College & Hospital M.I.D.C**  
**Latur**

Kisan Shikshak Prasarak  
Mandal Homoeopathic Medical  
College, Dargaon, Dist. Latur  
an approved institution for  
the purposes of sub-sections  
(1)(2) and (3) of Section 5 of  
the Anatomy Act, 1949 (Bombay  
XI of 1949)

GOVERNMENT OF MAHARASHTRA  
Medical Education and Drugs Department  
Resolution No. MED-1091/3972/DR-441/91/MED-7  
Mantralaya, Bombay 400 032  
Dated 10th January 1992

READ : Letter No. ३५. होमि/वाचिप/होमिकॉल/१९९१/  
३१३ - २, dated 7th December 1991 from the  
Director of Ayurved, Bombay.

RESOLUTION : Accompanying Government Notification  
should be published in Part IV (b) of the Maharashtra  
Government Gazette.

By order and in the name of the  
Governor of Maharashtra,

  
(S.S. Kantak)  
Under Secretary to Government

To

The Director of Ayurved, M.S. Bombay.  
The Government Central Press, Bombay  
(with a request to publish the Notification in  
Part IV (b) of Maharashtra Government Gazette  
and to supply 25 copies of the Notification  
to this department.)

The Superintendent of Police, Latur.  
The Principal, Kisan Shikshak Prasarak Mandal Homoeo-  
-pathic Medical College, Dargaon, Dist. Latur.  
The Medical Officer, Nagar Parishad Office, Latur.  
The Civil Surgeon, Civil Hospital, Latur.

ksj10192

  
PRINCIPAL  
Homoeopathic Medical  
College & Hospital, Latur

NOTIFICATION

Medical Education and  
Drugs Department,  
Mantralaya, Bombay-400 032

Dated 10th January 1992

Memorandum  
on  
the  
Bombay  
Anatomy  
Act, 1949

No.HFD-1091/3972/GR-441/91/HFD-7 .- In  
exercise of the powers conferred by Sub-section  
(1) of Section 2 of the Bombay Anatomy Act, 1949  
(Dom.XI of 1949), the Government of Maharashtra  
hereby declares Kisan Shikshak Prasarak Mandal  
Homoeopathic Medical College, Dargaon, Dist.  
Latur to be an approved Institution for the  
purposes of sub-sections (1), (2) and (3) of  
section 5 of the said Act.

By order and in the name of  
the Governor of Maharashtra,

R.N.CHINMULGUND  
Joint Secretary to Government

ksj1011992